



Revision of the Tribe Onciderini Thomson, 1860 (Coleoptera: Cerambycidae) from the Entomological Collection (CACH), Agronomic Sciences, Villafloros, Chiapas

Carlos Joaquín Morales Morales, Eduardo Aguilar Astudillo^{*}, Reynerio Adrián Alonso Bran, Carlos Ernesto Aguilar Jiménez, Antonio Gutiérrez Martínez, Mariano Solís López, Luis Daniel Barrientos Cruz

Faculty of Agricultural Sciences, Autonomous University of Chiapas, Villafloros, Mexico

Email address:

carlos.mmorales@unach.mx (Carlos Joaquín Morales Morales), eduardo.aguilar@unach.mx (Eduardo Aguilar Astudillo), Bran@unach.mx (Reynerio Adrián Alonso Bran), ejimenez@unach.mx (Carlos Ernesto Aguilar Jiménez), antonio.gutierrezm@unach.mx (Antonio Gutiérrez Martínez), mariano.solis@unach.mx (Mariano Solís López), luisd_son@live.com.mx (Luis Daniel Barrientos Cruz)

*Corresponding author

To cite this article:

Carlos Joaquín Morales Morales, Eduardo Aguilar Astudillo, Reynerio Adrián Alonso Bran, Carlos Ernesto Aguilar Jiménez, Antonio Gutiérrez Martínez, Mariano Solís López, Luis Daniel Barrientos Cruz. Revision of the Tribe Onciderini Thomson, 1860 (Coleoptera: Cerambycidae) from the Entomological Collection (CACH), Agronomic Sciences, Villafloros, Chiapas. *American Journal of Entomology*. Vol. 7, No. 2, 2023, pp. 83-88. doi: 10.11648/j.aje.20230702.15

Received: May 29, 2023; **Accepted:** June 19, 2023; **Published:** June 29, 2023

Abstract: The present work was carried out in the Entomological Collection (CACH) located in the CUTT (University Center for Technology Transfer) San Ramón, property of the Faculty of Agronomic Sciences, Campus V of the Autonomous University of Chiapas; with the entomological material of the Onciderini Tribe (Cerambycidae: Lamiinae) in order to determine taxonomically at the genus and species level. Noting the collection data that each specimen presents as: place and date of collection and collector, which served to know its distribution and date of appearance in the state of Chiapas. The determination of the species that are reported in this work was carried out based on the specialized literature consulted and by comparison with photographic catalogs, where the external morphological characteristics of each species are described. 84 specimens of the Onciderini Tribe were reviewed, of which three genera *Lochmaeocles*, *Oncideres* and *Tulcus* were determined, which group 19 species. The species with the highest number of specimens were: *Lochmaeocles pseudovestitus*, *Oncideres ocellaris*, *L. cornuticeps pacificus*, *O. fulvostillata* and *O. putator putator* with 13, 13, nine, six and six specimens respectively; the species *Lochmaeocles marmoratus*, *Oncideres punctata*, *O. pallifasciata* and *O. rubra* are only represented by one specimen respectively. The species *Lochmaeocles cortuniceps cortuniceps*, *L. pseudovestitus*, *Oncideres albipilosa* and *Tulcus lycimnius* are new records for Chiapas. *Oncideres pallifasciata* and *O. rhodosticta* are new records for Oaxaca. The species *Lochmaeocles marmoratus* and *Oncideres sparsemaculatus* are reported for the first time for Mexico.

Keywords: Distribution, Revision, Species, Collection, New Records

1. Introduction

The knowledge of the specimens of an entomological collection is of vital importance to carry out studies of classification and taxonomic determination of species, at the same time a database is generated to reach an entomological collection of scientific reference. The Family Cerambycidae

(Coleoptera) is one of the largest families of the Class Hexapoda, with distinctive and specific morphological characteristics of this group of insects. The specimens of the Onciderini Tribe (Coleoptera: Cerambycidae: Lamiinae) are morphologically characterized by having a body of moderate to large size, elongated, ovate, robust, subcylindrical, with colors ranging from reddish brown to black, more or less pubescent, the forewings (elitra) marked with rounded

macules of variable colour, from pale yellow to ochraceous; specimens with white bands that vary in distinction are frequently found, and in some species these bands are reduced to a simple vestige, providing a characteristic aspect of each species [1].

In the first review of the Onciderini tribe made by Thomson in 1868; he described 13 new genera of the 28 he reports, which include the 151 recorded species. The second revision of this Tribe was carried out by Dillon & Dillon in the years 1945 and 1946 [1], who determined 65 genera, of which 33 of them were classified as new records, grouping 260 species, being the only important revision carried out to date. The 95.0% of the genera of the Onciderini tribe (77 of 81) are distributed and recorded for South American countries, of which 87.6% are found in Brazil (71 of 81) [2-4]. Although there are works related to this Onciderini Tribe, it is considered under the number of publications that make reference and emphasis, in its distribution and specific determination; In this sense, the present work was proposed with the objective of knowing the species of the Onciderini tribe specimens deposited in the Entomological Collection (CACH) of the Faculty of Agronomic Sciences, of the Autonomous University of Chiapas.

2. Materials and Method

The work was carried out with the entomological material of the Onciderini Tribe (Coleoptera: Cerambycidae: Lamiinae), which are dry and mounted on entomological pins and deposited in the Entomological Collection (CACH) of the Faculty of Agricultural Sciences, Campus V, of the Autonomous University of Chiapas; which come from collections made from 1984 to the present, which were captured by means of light traps and sporadic direct collections in the field in different locations in the state of Chiapas.

To carry out the taxonomic classification, each one of the specimens of the Lamiinae subfamily was separated at the Tribe, Genus and Species level, through morphological comparisons of the specialized literature for this subfamily; to determine the specimens at the species level, the works carried out by the researchers Dillon and Dillon, Noguera and Ailleo (1, 5, 6) were consulted, where they mention the external morphological characteristics of each species; and by comparison using the photographic catalogs made and published by Maes and collaborators, Martins and Galileo, and Bezark [7-11]. To observe the distinctive conspicuous morphological characters of each specimen, a Carl Zeiss brand electronic stereoscope was used. Once the species was determined, a total count of the specimens of each species existing in the entomological collection was carried out; In addition, the collection data for each of them was noted as follows: country, state, municipality, the latter written in bold, then the town, date of collection, and finally the name of the collector.

3. Results

Of the 84 specimens of the Onciderini tribe (Coleoptera:

Cerambycidae: Lamiinae) were reviewed, distributed in three genera and 18 species, which will be named alphabetically, mentioning their known distribution according to the literature consulted.

Lochmaeocles c. cornuticeps Schaeffer 1906

known distribution:

The species *L. c. cornuticeps*, is reported for the Southwestern United States of North America (Texas) and in Mexico, for the states of Tamaulipas and Morelos [1, 12, 13].

Reviewed material: five specimens deposited in the entomological collection were reviewed.

Mexico: Chiapas: Acála: November 20; June 3, 2000, C. J. Morales. Las Margaritas: September-2014, Francisco Hidalgo. Ocozocoautla: El Aguacero: May 9, 1990, C. J. Morales; La Encañada: June 10, 2000, F. Pimentel Zepeda. Villaflor: San Gregorio ranch: October 15, 2014, W. N. Velazquez.

This species is a new record for the state of Chiapas.

Lochmaeocles cornuticeps federalis Dillon & Dillon 1946

known distribution:

The species *Lochmaeocles cornuticeps federalis* Dillon & Dillon (1946), has been reported for the Federal District and Cuernavaca, Morelos [1, 10, 11, 14].

Reviewed material: five specimens deposited in the entomological collection were reviewed.

Mexico: Chiapas: Ocozocoautla: June 10, 2000, F. Pimentel Zepeda. Villaflor: Jesús M. Garza: February 13, 2011, E. Alegría Mendoza; UNACH: March 25, 2011, L. Contreras Cruz; November 10, 2011, A. J. Navarro Arellanos; Nambiyigua: October 3, 2016, B. R. Pérez Nucamendi.

The species *L. cornuticeps federalis* is a new record for Chiapas.

Lochmaeocles cornuticeps pacificus Dillon & Dillon 1946

known distribution:

The species *Lochmaeocles cornuticeps pacificus* Dillon & Dillon (1946), is reported for the Pacific coast regions of Mexico [1]; specifically, for the states of Nayarit, Jalisco and Sinaloa [10, 11]. For the state of Chiapas, it has been recorded for the locality of El Aguacero in the municipality of Ocozocoautla [15, 16].

Reviewed material: In the entomological collection (CACH) nine specimens are deposited:

Mexico: Chiapas: La Concordia: La Tigrilla: March 29, 2008, L. E. Jiménez Cruz. Ocozocoautla: San Ramón: May 14, 2000, R. M. Vicente Avendaño. Villacorzo: July 7, 1991, D. Pérez Vázquez; Primero de Mayo: (2) March 18, 2012, G. E. Hernández. Villaflor: May 15, 1997, G. N. Nafate; April 8, 2008, R. Guillen Sarmiento; San Ramón ranch: June 16, 2006, E. Aguilar Astudillo; The Horizon: April 25, 2007, Y. Cruz Hernández.

Lochmaeocles marmoratus Casey 1913

known distribution:

Of the species *Lochmaeocles marmoratus* Casey (1913), it has been recorded as a type locality in Arizona (USA), considering its distribution up to Ecuador (1), Chemsak and collaborators in 1992, recorded *L. marmoratus* for Arizona [17], however, Monné and Nearns in 2021, they extended their record to southeastern Arizona and northwestern Mexico [18].

Reviewed material: In the entomological collection (CACH) only one specimen is kept in custody.

Mexico: Chiapas: Villaflores: Villa Hidalgo: March 13, 2000, Claudia Montero.

This species is a new record for Mexico.

Lochmaeocles nigritarsus Chemsak & Linsley 1986

known distribution:

The species *Lochmaeocles nigritarsus* Chemsak & Linsley (1986), is distributed and registered for the Southeast of Mexico for the states of Quintana Roo and Yucatán (10). In Chiapas, it is reported for the town of Laguna Bélgica in the municipality of Ocozocoautla; extending its distribution to Honduras [19, 20, 21].

Reviewed material: Five specimens of this species that are deposited in the Entomological Collection were reviewed.

Mexico: Chiapas: Ocozocoautla: El Aguacero: June 2, (1989), June 26, 1991, C. J. Morales; Santa Cruz: June 25, 1992, C. J. Morales. Villaflores: November 5, 2003, Geronimo M. D.; San Ramón: September 13, 2009, H. Gómez Hernández.

Lochmaeocles pseudovestitus (Chemsak & Linsley, 1988)

known distribution:

The species *Lochmaeocles pseudovestitus* (Chemsak & Linsley, 1988) is distributed in Mexico in the states of Guerrero, Jalisco, Morelos and Sinaloa [10, 11, 15, 21, 22].

Reviewed material: Abundant species in the entomological collection (CACH) of which 13 specimens were analyzed.

Mexico: Chiapas: Ocozocoautla: September 20, 2003, M. G. López. Villacorzo: Cuba Ranch: February 29, 2011, L. A. Coutiño Ruiz; Morelia ranch: September 23, 2019, D. R. Lopez Garcia. Villaflores: April 3, 1999, A. J. Arredondo; April 8, 2008, R. Guillen Sarmiento; Jesus M. Garza: October 26, 1989, Jorge Lara; May 26, 2003, C. J. Morales; July 20, 2006, E. Aguilar Astudillo; San Ramón: October 18, 2010, E. A. Carbajal; April 27, 2022, F. González Sánchez; Melchor Ocampo: Ocotal ranch: March 25, 2011, T. G. Garcia Gómez; June 2, 2017, C. J. Morales. Zinacantan: May 12, 2019, J. C. Torres Perez.

This species is a new record for Chiapas.

Lochmaeocles tessellatus tessellatus (Thomson, 1868)

known distribution:

The type locality of the species *Lochmaeocles tessellatus tessellatus* (Thomson, 1868), is considered Venezuela and Costa Rica [1]; and is distributed from southwestern North America to Central America; In addition, it has been collected in locations in countries such as Bolivia, Colombia, British Guyana and Panama. In Chiapas, it is reported for the towns of El Aguacero and Selva el Ocote in the municipality of Ocozocoautla [15, 16].

Reviewed material: In the entomological collection, three specimens are kept in custody.

Mexico: Chiapas: Villaflores: San Ramón ranch: May 5, 1999, Gloria Zebadua; March 28, 2011, C. J. Morales; Tres Picos: October 6, 2012, R. I. Gómez Cruz.

Oncideres albipilosa (Noguera, 1993)

known distribution:

The species *Oncideres albipilosa* Noguera (1993), is

reported for Mexico and registered for the states of Campeche and Yucatan [5, 21, 23].

Reviewed material: Three specimens of this species are kept in the entomological collection.

Mexico: Chiapas: Villacorzo: July 7, 1991, D. Pérez Vázquez. Villaflores: San Ramón ranch: October 21, 2008, N. Alegría Pérez; Las Victorias Ranch: March 21, 2015, J. L. Puerto.

This species is a new record for Chiapas.

Oncideres albomarginata chameiae (Chemsak & Giesbert, 1986)

known distribution:

The species *Oncideres albomarginata chameiae* Chemsak & Giesbert (1986), is recorded in Mexico for the states of Chiapas, Guerrero, Jalisco, Nayarit, Oaxaca and Veracruz; also for Guatemala [10, 23, 24]. In Chiapas, it has been collected in the localities of El Aguacero and Selva El Ocote the municipality of Ocozocoautla and Berriozábal [15, 16, 21, 22, 25, 26].

Reviewed material: Five specimens are kept in the entomological collection.

Mexico: Chiapas: Suchiapa: Pacú: October 19, 2019, L. D. Montejo Toalà. Villaflores: San Ramón ranch: November 15, 2003, M. Coutiño Figueroa; June 16, 2006, E. Aguilar Astudillo; October 18, 2009, M. Molina; Agrónomos mexicanos: November 8, 2009, J. L. Sanabria Niño.

Oncideres fisheri Dillon & Dillon 1946

known distribution:

The species *Oncideres fisheri* Dillon & Dillon (1946), is reported for the southeastern states of Mexico such as Chiapas, Oaxaca and Veracruz [5, 27]; however, Dillon and Dillon in 1946 indicated that the distribution of *O. fisheri* extends to Guatemala, Nicaragua and Costa Rica [1].

Reviewed material: Four specimens of this species that are kept in the entomological collection were reviewed.

Mexico: Chiapas: Villacorzo: Santa María: October 22, 2019, O. A. Alvarado Sánchez. Villaflores: July 10, 1992, D. Rincón Morales; Cerro Nambiyigua: August 20, 2010, C. J. Morales; Jesus M. Garza: October 17, 2019, O. Morales Barreiro.

Oncideres fulvostillata Bates, 1872

known distribution:

The type locality of the species *Oncideres fulvostillata* Bates, (1872), is considered Nicaragua, and its distribution extends to Costa Rica [1]. However, in 1991 Noguera recorded the species *O. fulvostillata* for Chiapas [5], the specimens were collected in the towns of San Jerónimo and Montebello; *O. fulvostillata*, was reported for the locality of Laguna Bélgica in the municipality of Ocozocoautla, Chiapas and for Oaxaca, Mexico; in addition to Costa Rica, Guatemala, Honduras, Nicaragua and Panama [19, 20, 26, 28-30].

Reviewed material: In the entomological collection (CACH) six specimens were reviewed.

Mexico: Chiapas: Bella Vista: Ojo de Agua: October 14, 2018, C. González Ruiz. Villacorzo: Villalen: August 22, 2015, E. G. González Hernández. Villaflores: Francisco Villa:

October 20, 1999, Francisco Javier; Nambiyigua: October 3, 2015, B. R. Pérez Nucamendi; San Ramón ranch: 20, October 26, 2016, B. Díaz Girón.

Oncideres ocellaris Bates

known distribution:

The type locality of the species *Oncideres ocellaris* Bates is Guatemala [1], and its distribution ranges from Mexico to Nicaragua. This species has been reported for locations in Chiapas and Oaxaca; in addition to Guatemala, Honduras and Nicaragua [1, 8, 11, 17, 19, 29, 30].

Material reviewed: In the Entomological Collection there are 13 specimens in custody.

Mexico: Chiapas: Suchiapa: November 15, 2009, C. A. Yuca Pérez. Villacorzo: Rancho El Regalito: May 4, 2006, F. Grajales González. Emiliano Zapata: April 4, 2011, C. Chacón Mendóza. Villaflores: Jesús M. Garza: July 20, 2006, E. Aguilar Astudillo; Agrónomos Mexicanos: March 25, 2011, J. L. Niño Sanabria; Domingo Chanona: April 16, 2011, R. A. Aguilar; October 3, 2018, M. Ruiz Velázquez; San Ramón: April 22, 1998, C. Cruz; February 5, 2011, R. Tagua Albores; March 24, 2011, E. Vilchis Vilchis; October 26, 2011, E. Escobar Ramírez; September 14, 2015, L. Meza Guzmán; Villa Hidalgo: January 30, 2015, N. Solís Pérez.

Oncideres pallifasciata Noguera 1993

known distribution:

The species *Oncideres pallifasciata* Noguera (1993) has only been reported for the state of Jalisco, Mexico [5, 21].

Revised material: Only one specimen is kept in the Entomological Collection.

Mexico: Oaxaca: Santo Domingo: Cerro Iguana: July 12, 2019, J. C. Toledo Bartolo.

New record for the state of Oaxaca, Mexico.

Oncideres punctata Dillon & Dillon, 1946

known distribution:

The species *Oncideres punctata* Dillon & Dillon (1946), is reported for Mexico without specifying the location of collection (10); however, this species is reported for localities in Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Mexico and Nicaragua [1, 11, 19, 27, 31].

Reviewed material: There is only one specimen in custody in the Entomological Collection (CACH).

Mexico: Chiapas: Villaflores: Cristóbal Obregón: April 23, 2014, W. Cruz Ramos.

Oncideres putator putator Thomson, 1868

known distribution:

The species *Oncideres putator putator* Thomson (1868) is considered the type locality of Mexico and its distribution extends to Guatemala [1]. The species *O. putator putator*, has been recorded for the states of Chiapas, Oaxaca and Veracruz, Mexico; in addition to Guatemala and Honduras. In Chiapas, Mexico, it is recorded for the locality of Laguna Bélgica in the municipality of Ocozocoautla and for the municipality of Bachajon [10, 11, 19].

Reviewed material: In the Entomological Collection, six specimens are kept in custody.

Mexico: Chiapas: Ocotepec: rose apple, November 15, 2009, I. Simuta Hernández. Suchiapa: La Palma: February 25, 2004, H.

A. Díaz Camacho. Villaflores: September 2, 2009, O. Velázquez; October 18, 2009, M. Molina; October 23, 2009, M. O. Moreno; Cerro Nambiyigua: October 12, 2009, D. A. Borraz.

Oncideres rhodosticta Bates, 1885

known distribution:

The type locality of the species *Oncideres rhodosticta* Bates (1885), is recorded for Mexico and is distributed in the southwestern states of the United States such as Arizona, New Mexico and Texas [1]; however, for Mexico *O. rhodosticta* is reported for the states of Baja California, Chihuahua, Coahuila, Durango, Sonora and Tamaulipas [10, 11, 18].

Reviewed material: in the Entomological Collection (CACH) there are only two specimens in custody.

Mexico: Oaxaca: Santo Domingo: Cerro Iguana: (2) July 12, 2019, J. C. Toledo Bartolo.

New record for the state of Oaxaca, Mexico.

Oncideres rubra Franz, 1959

known distribution:

The species *Oncideres rubra* Franz (1959), is recorded for Mexico in the states of Jalisco, Tabasco and Yucatán [11, 19, 12, 27]; Bezark and collaborators in 2019 and Alvarez-Ramon in 2022 [26, 32] reported this species for the towns of El Aguacero and Selva el Ocote in the municipality of Ocozocoutla [15, 16]; In addition to countries such as El Salvador, Guatemala, Nicaragua, Honduras and Costa Rica.

Material reviewed: Only one specimen is kept in the Entomological Collection (CACH).

Mexico: Chiapas: Tenejapa: May 6, 2017, J. C. Guzmán Intzin.

Oncideres sparsamaculatus Martins & Galileo 2010

known distribution:

The species *Oncideres sparsamaculatus* Martins & Galileo (2010), is reported for Guatemala [8].

Material reviewed: Three specimens were reviewed in the Entomological Collection.

Mexico: Chiapas: Villacorzo: Rancho El Regalito: May 4, 2006, F. Grajales González. Villaflores: July 10, 1992, D. Rincon Morales; Rancho San Ramon: July 14, 2010, C. J. Morales.

New record for Mexico.

Tulcus lycimnius (Dillon & Dillon) 1945

known distribution:

The species *Tulcus lycimnius* Dillon & Dillon (1945) has been reported for the states of Morelos, Tabasco and Veracruz, Mexico; extending its distribution to Guatemala, Costa Rica, Trinidad, Panama and Venezuela [14, 32, 33, 34].

Reviewed material: only two specimens are stored in the Entomological Collection.

Mexico: Chiapas: Villaflores: Magisterial: March 20, 2004, J. Rabelo Aguilar. Oaxaca: Santo Domingo: Cerro Iguana Ingenio: January 3, 2013, J. C. Toledo Bartolo.

New record for Chiapas and Oaxaca.

4. Conclusion

Of the 84 reviewed specimens of the Onciderini tribe, three genera and 19 species were found, which are deposited in the

Entomological Collection (CACH) of the Faculty of Agricultural Sciences, Campus, V. Of the genus *Lochmaeocles* there are seven species of which *L. pseudovestitus* and *L. cortuniceps pacificus* are the most abundant with 13 and nine specimens respectively. Of the genus *Oncideres* there are 12 species of which *O. ocellais*, *O. fulvostillata*, *O. putator putator* and *O. albomarginata chameleae* are the most represented with 13, six, six and five specimens respectively. The genus *Tulcus* is represented by the species *T. lycimnius* with two specimens. Five species were found as new records for Chiapas, two for the state of Oaxaca, and two more species are considered new records for Mexico.

References

- [1] Dillon, L. S. and E. S. Dillon. 1946. The Tribe Onciderini (Coleoptera: Cerambycidae) Part II. Scientific Publications. Reading Public Museum and Art Gallery Reading, Pennsylvania. No. 6189-413 p. plate I-XVII.
- [2] Monné, 2005. Monné, M. A. 2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. Zootaxa, 1032: 1-559.
- [3] Monné y Bezark. 2011. Monné, M. A., and L. G. Bezark. 2011. Electronic checklist of the Cerambycidae (Coleoptera) of the Western Hemisphere. Available from: <http://plant.cdfa.ca.gov/byciddb/> (Accessed on 8/1/2011).
- [4] Nearns, E. H., N. P. Lord, and K. B. Miller. 2011. Oncid ID: Tool for diagnosing adult twig girdlers (Cerambycidae: Lamiinae: Onciderini). The University of New Mexico and Center for Plant Health Science and Technology, USDA, APHIS, PPQ. Available from: <http://itp.lucidcentral.org/id/wbb/OncidID/> (Accessed on 8/1/2011).
- [5] Noguera M. F. A. 1991. Revision taxonómica del género *Oncideres* Serville en México (Coleoptera: Cerambycidae). Tesis Maestro en Ciencias Biología, Facultad de Ciencias, Universidad Nacional Autónoma de México. 100 p.
- [6] Aiello, A. 2015. *Oncideres* Serville (Coleoptera: Cerambycidae) Key To Too Few: 34 Species Lost. *The Coleopterists Bulletin*, 69 (1): 60.
- [7] Maes, J. M., Berghe, E., Dauber, D., Audureau, A., Nearn, E., Skilman, F., Heffern, D., y Monne, M. 2010. Catálogo de los Cerambycidae de Nicaragua: Parte IV, Lamiinae-Disteniinae. *Revista Nicaraguense de Entomología*, 70 (1), 879.
- [8] Martins, U. R. and M. H. Galileo. 2010. New taxa in Onciderini (Coleoptera, Cerambycidae, Lamiinae). *Rev. Bras. entomol.* 54 (1).
- [9] Bezark, L. G. (2021) Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae (Coleoptera) of the Western Hemisphere. 2021 Edition (updated through 31 December 2020). Disponible en línea: <http://bezbycids.com/byciddb/wdefault.asp?w=n>. Consultado en mayo de 2022. 2021).
- [10] Noguera F. A. y J. A. Chemsak 1996. Cerambycidae (Coleoptera). pp. 381–409. En: J. E. Llorente-Bousquets, A. N. García-Aldrete y E. González-Soriano (Eds.) Biodiversidad, taxonomía y biogeografía de artrópodos de México: Hacia una síntesis de su conocimiento. *Instituto de Biología*, UNAM, México, D. F. 660 p.
- [11] Monné, M. A. & F. T. Hovore. 2001. Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere. Part Two: Lamiinae through Disteniinae. Electronic Version, 119 p.
- [12] Hovore, F. T. 2003. Checklist of the Cerambycidae and Disteniidae (Coleoptera) of Costa Rica. Versión electrónica, 47 p.
- [13] Vargas-Cardoso, O. R., A. M. Corona-López, V. López-Martínez, A. Flores-Palacios, R. Figueroa-Brito and V. H. Toledo-Hernández. 2018. New host records of Cerambycidae (Coleoptera) from central Mexico. *The Pan-Pacific Entomologist*, 94 (2): 91–102.
- [14] Noguera, F. A., S. Zaragoza-Caballero, J. A. Chemsak, A. Rodríguez-Palafox, E. Ramírez, E. González-Soriano and R. Ayala. 2002. Diversity of the Family Cerambycidae (Coleoptera) of the Tropical Dry Forest of Mexico, I. Sierra de Huautla, Morelos. *Annals of the Entomological Society of America*, 95 (5): 617–627.
- [15] Toledo, V. H., F. A. Noguera, J. A. Chemsak, F. T. Hovore And Edmund F. Giesbert. 2002. The Cerambycid fauna of the tropical dry forest of “El Aguacero,” Chiapas, Mexico (Coleoptera: Cerambycidae). *The Coleopterists Bulletin*, 56 (4): 515–532.
- [16] Gómez, G., C. Pozo, L. F. de la Mora-Estrada, M. R. Domínguez, M. E. Rodríguez y L. Ruiz-Montoya. 2017. Diversidad de insectos colectados en cuatro localidades de la Reserva de la Biosfera Selva el Ocote. Pp. 171-253. En: Vulnerabilidad social y biológica ante el cambio climático en la Reserva de la Biosfera Selva El Ocote. Lorena Ruiz-Montoya, Guadalupe Álvarez-Gordillo, Neptalí Ramírez-Marcial y Bárbara Cruz-Salazar Editores. Primera edición. 624 p.
- [17] Chemsak, J. A., E. Gorton L., F. A. Noguera. 1992. Listados faunísticos de México. Los Cerambycinae y Disteniidae de Norteamérica, centroamérica y las Indias Occidentales (Coleoptera). *Estación de Biología de Chamela, Jalisco, México*. 153 p.
- [18] Monné, M. A. and E. H. Nearn. 2021. Catalogue of the Cerambycidae (Coleoptera) of Canada and United States of America. Part IV. Subfamily Lamiinae. Disponible en línea: https://cerambycids.com/catalog/Monne&Nearn_2021_NearcticCat_part_IV. Consultado en junio de 2022.
- [19] Turnbow, R. H. Jr., R. D. Cave and M. C. Thomas. 2003. A list of the Cerambycidae of Honduras, with additions of previously unrecorded species. *Ceiba*, 44 (1): 1–43.
- [20] García-Montero, R. 2007. Fauna de Cerambycidae (Insecta: Coleoptera) en el parque educativo “Laguna Bélgica”, Ocozocoautla de Espinosa, Chiapas. Tesis de licenciatura en Biología. Escuela de Biología. Universidad de Ciencias y Artes de Chiapas. Tuxtla Gutiérrez Chiapas. 54 pp.
- [21] Zaragoza-Caballero, S. and C. Xinum Pérez-Hernández. 2017. An annotated catalogue of the Coleoptera types deposited in the National Insect Collection (CNIN) of the National Autonomous University of Mexico. *Zootaxa*. 4288 (1): 001-128.
- [22] Pérez-Flores, O., V. H. Toledo-Hernández y A. Zaldívar-Riverón. 2017. Uso del código de barras de la vida para detectar problemas taxonómicos en Cerambycidae (Coleoptera: Chrysomeloidea) de un bosque tropical caducifolio. *Revista Mexicana de Biodiversidad*. 88 (1): 71–79. DOI: 10.1016/j.rmb.2017.01.014.

- [23] Noguera, F. A. 1993. Revisión taxonómica del género *Oncideres* Serville en México (Coleoptera: Cerambycidae). *Folia Entomológica Mexicana*, 88: 9–60.
- [24] Chemsak, J. A., and E. F. Giesbert. 1986. New species of Cerambycidae from Estación de Biología de Chamela, Jalisco, México. *Folia Entomológica Mexicana*, 69: 19–39.
- [25] Rodríguez-Jiménez, A. 2005. Fauna de cerambícidos (Coleoptera: Cerambycidae) del “Pozo la Pera”, Berriozábal, Chiapas, México. Tesis de licenciatura en Biología. Escuela de Biología. Universidad de Ciencias y Artes de Chiapas. Tuxtla Gutiérrez Chiapas. 59 pp.
- [26] Bezark, L. G., R. S. Zack, J. Monzón Sierra and P. J. Landolt. 2019. Known and new records of Disteniidae and Cerambycidae (Coleoptera) from Guatemala. *The Pan-Pacific Entomologist*, 95 (3/4): 117–125.
- [27] Swift, I. P., L. G. Bezark, E. H. Nearns, A. Solís & F. Hovore. 2010. Checklist of the Cerambycidae (Coleoptera) of Costa Rica. *Insecta Mundi*, 131, 1–68.
- [28] Hubweber, L. 2008. Longhorn beetles (Coleoptera, Cerambycidae) of the Golfo Dulce region, Costa Rica. *Stapfia* 88, zugleich Kataloge der Oberösterreichischen Landesmuseen Neue Serie 80: 249–256.
- [29] Nearns, E. A. and G.-L. Tavakilian. 2012. New Taxa and Combinations in Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from Central and South America, with notes on additional taxa. *Insecta Mundi* 0231: 1–24.
- [30] Nearns, E. H., M. V. L. Barclay and G. L. Tavakilian. 2014. Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of The Natural History Museum (BMNH). *Zootaxa* 3857 (2): 261–274.
- [31] Nearns H. E. and M. A. Monné. 2019. Two new species of South America Neocherentes Tppmann, 1960 (Coleoptera: Cerambycidae: Lamiinae: Onciderini). *Insecta Mundi, a Journal of World Insect Systematics*. Centr for Sysreatic Entonology, Inc., Gainesville, Fl. Pp. 1 – 10.
- [32] Álvarez-Ramón, Ó. I., M. Pérez-de La Cruz, M. A. Magaña-Alejandro, S. Oporto-Peregrino, y J. C. Gerónimo-Torres. 2022. Diversidad y fluctuación anual de cerambícidos (Coleoptera: Cerambycidae) en una selva tropical del sureste de México. *Acta Biológica Colombiana*, 27 (1), 79-87. <https://doi.org/10.15446/abc.v27n1.89421>.
- [33] Bezark, L. and M. A. Monné. 2013. Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae, (Coleoptera) of the Western Hemisphere 2013 Edition (updated through 31 December 2012). Disponible en <http://apps2.cdfa.ca.gov/publicApps/plant/bycidDB/wdefault.asp?w=>
- [34] Lanuza-Garay, A. and A. Santos Murgas. 2018. "Escarabajos longicornios (Coleoptera: Cerambycidae y Disteniidae) del Parque Nacional Darién, Panamá". *Insecta Mundi*, 1139: 1–11. <https://digitalcommons.unl.edu/insectamundi/1139>.